



## **INDUSTRIAL RAW MATERIALS LLC**

112 West 56<sup>th</sup> Street, New York, NY 10019 Telephone: (212) 688-8080

Fax: (212) 759-3696

Email: [sales@irmwax.com](mailto:sales@irmwax.com) Website: [www.irmwax.com](http://www.irmwax.com)

---

# **MATERIAL SAFETY DATA SHEET**

---

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS. Discard any previous edition of this MSDS.

---

## **SECTION I - PRODUCT IDENTIFICATION**

---

**A HAZARD WARNING IS NOT REQUIRED FOR THIS PRODUCT UNDER OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)**

### **MATERIAL IDENTIFICATION**

Name: **INDRAPOL 73** CAS Registry Number **68527-08-2**

SHIPPING NAME: NOT HAZARDOUS PER D.O.T. CFR TITLE 49

CHEMICAL DESCRIPTION: Polymerized Alkene C>10 Alpha-

**Transportation Emergency Phone  
(212) 688-8080**



## INDUSTRIAL RAW MATERIALS LLC

112 West 56<sup>th</sup> Street, New York, NY 10019 Telephone: (212) 688-8080  
Fax: (212) 759-3696  
Email: [sales@irmwax.com](mailto:sales@irmwax.com) Website: [www.irmwax.com](http://www.irmwax.com)

---

### SECTION 2 - HAZARDOUS INGREDIENTS

---

None as defined under the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200)  
or the Canadian Hazardous Products Act (S.C. 1987; c. 30 (Part I)).  
Not classified under 67/548/EEC.

---

### SECTION 3 - PHYSICAL DATA

---

SPECIFIC GRAVITY @ 60°F: 0.89      VOLATILITY: Nil  
VAPOR PRESSURE: Not determined      SOLUBILITY IN WATER: Insoluble  
APPEARANCE AND ODOR: White solid. Little or no odor.

---

### SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

---

FLASH POINT: >350°F      FLAMMABLE LIMITS: Not applicable  
FLASH METHOD: COC ASTM D-92  
EXTINGUISHING MEDIA: Use water spray or fog, alcohol-type foam, dry chemical, or CO<sub>2</sub>.  
FIRE FIGHTING PROCEDURES: Use a self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode. Non-flammable. Keep fire-exposed containers cool using water spray.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: When finely divided and suspended in air, this product could be flammable. Under these circumstances, keep away from heat, sparks and open flames. Use adequate ventilation and ground all equipment. As with most solid or particulate organic materials, extremely high dust concentrations in air may result in a potential explosion hazard. Use good housekeeping to prevent significant solids accumulation.



## **INDUSTRIAL RAW MATERIALS LLC**

112 West 56<sup>th</sup> Street, New York, NY 10019 Telephone: (212) 688-8080

Fax: (212) 759-3696

Email: [sales@irmwax.com](mailto:sales@irmwax.com) Website: [www.irmwax.com](http://www.irmwax.com)

---

### **SECTION 5 - HEALTH HAZARD DATA**

---

#### **EFFECTS OF OVEREXPOSURE:**

##### **INHALATION:**

Not expected to be a problem under normal conditions of use. When finely divided, inhalation of dust may cause irritation of mucous membrane and respiratory tract. OSHA permissible exposure limit (PEL-TWA) and ACGIH threshold limit value (TLV-TWA) for respirable dust: 5 mg/m<sup>3</sup>. Total nuisance dust OSHA PEL-TWA: 15 mg/m<sup>3</sup>; total dust ACGIH TLV-TWA: 10 mg/m<sup>3</sup>. If heated to decomposition, fumes generated may result in respiratory irritation. ACGIH exposure limit for paraffin wax fume is a TLV-TWA of 2 mg/m<sup>3</sup>.

##### **SKIN AND EYE CONTACT:**

Not expected to be a problem under normal conditions of use. May produce mild irritation on prolonged contact with skin or eyes. Not expected to be absorbed through the skin in significant quantities.

The cool solid material is not expected to cause skin or eye irritation; however, contact with molten material may result in thermal burns.

##### **INGESTION:**

May be harmful if swallowed. May cause gastrointestinal disturbances.

##### **EMERGENCY AND FIRST AID PROCEDURES:**

Wash skin thoroughly with soap and water. Launder clothing before reuse. If in eyes, irrigate with flowing water immediately and continuously for fifteen minutes. Consult a physician. If inhaled, remove to fresh air and administer oxygen if necessary/ If ingested, consult a physician. If molten polymer gets on skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burns.

---

### **SECTION 6 - REACTIVITY DATA**

---

**STABILITY:** Stable under normal conditions of storage and use.

**INCOMPATIBILITY:** Keep away from strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

**HAZARDOUS POLYMERIZATION:** Will not occur.



## **INDUSTRIAL RAW MATERIALS LLC**

112 West 56<sup>th</sup> Street, New York, NY 10019 Telephone: (212) 688-8080

Fax: (212) 759-3696

Email: [sales@irmwax.com](mailto:sales@irmwax.com) Website: [www.irmwax.com](http://www.irmwax.com)

---

### **SECTION 7 - SPILL AND LEAK PROCEDURES**

---

**IF MATERIAL IS SPILLED OR RELEASED:** Sweep material and place in appropriate disposal container. Use sweeping compound or other cleaning aids to pick-up residues. Wash down area thoroughly with water. Use appropriate personal protective equipment as necessary.

If liquid is hot, attempt to confine spill and let the liquid solidify. Once solid, the product may be recovered as any other solid material.

**DISPOSAL METHOD:** Secure container and take to an approved waste disposal site. Dispose of residues in accordance with applicable waste management regulations.

**DECONTAMINATION PROCEDURES:** Not applicable.

---

### **SECTION 8 - SPECIAL PROTECTION INFORMATION**

---

**RESPIRATORY PROTECTION:** Respirator use is not expected to be necessary under normal conditions of handling. In emergency situations, use of a NIOSH-approved respirator may be required.

**VENTILATION:** General ventilation should be provided to maintain ambient concentrations below nuisance levels.

**PROTECTIVE CLOTHING:** Chemical-resistant gloves and chemical goggles should be used to prevent skin and eye contact.

---

### **SECTION 9 - SPECIAL PRECAUTIONS**

---

Molten product may cause thermal burns.

---

---



## **INDUSTRIAL RAW MATERIALS LLC**

112 West 56<sup>th</sup> Street, New York, NY 10019 Telephone: (212) 688-8080

Fax: (212) 759-3696

Email: [sales@irmwax.com](mailto:sales@irmwax.com) Website: [www.irmwax.com](http://www.irmwax.com)

Although the information and recommendations set forth herein are believed to be correct as of the date hereof, IRM Corp. makes no representations to the accuracy of such information and recommendations. It is the user's responsibility to determine the suitability and completeness of such information and recommendation for its own particular use. IRM LLC. shall not be responsible for any direct, indirect, incidental, or consequential damages of whatsoever nature resulting from the publication, use of, or reliance upon such information and recommendations.

INDUSTRIAL RAW MATERIALS CORP. EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES OF EVERY KIND AND NATURE INCLUDING THOSE OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE PRODUCT, THE INFORMATION, AND RECOMMENDATIONS CONTAINED HEREIN, OR ANY USE, OR RELIANCE THEREON.

**INDUSTRIAL RAW MATERIALS LLC.**

---